



IMPORTANT:

THIS INSTALLATION DRAWING SHOWS LIFT SHAFT CLEARANCES REFLECTING NEW ZEALAND COMPLIANCE REQUIREMENTS. IF DIFFERENT CLEARANCES ARE REQUIRED TO MEET AUSTRALIAN COMPLIANCE THEN THE SLAB MEASUREMENTS WILL NEED TO BE ADJUSTED ACCORDINGLY.

NOTE:

- ENSURE CONCRETE IS LEVEL (100mm min./20mPa. For timber floors refer to Installation Instructions)
- ALL SURFACES ADJACENT TO LIFT TO BE SQUARE, PLUMB AND SMOOTH
- CONFIRM RUNNING CLEARANCES AT TIME OF INSTALLATION
- LANDING CALL BUTTON LOCATIONS SHOULD MEET COMPLIANCE REQUIREMENTS
- IF LANDING PROTECTION IS TO BE INSTALLED REFER TO LANDING PROTECTION DRAWING

SCALE	n.f.s.	DATE	03/03/2016
VERSION	001	DRAWN BY	b. whiting
PROJECT	001	DESCRIPTION	Mobilus-Ascensa Installation Car Gate AU LH

TITLE	MOBILUS & ASCENSA INSTALLATION with CAR GATE & LANDING GATE (LEFT HAND, AU INSTALL)
SUBTITLE	OVERALL INSTALLATION DIMENSIONS (SURFACE MOUNTED/CONCRETE)

